

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	45	("I.sup.2" C bus" or I2c or "inter-ic") same (buffer\$1 or fifo\$1 or queue\$1) same (cpu or processor\$ or "processing unit") same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/21 08:29
S1	1	("20050060472").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 18:27
S2	17	("6381667" "6199131" "6189131" "6182267" "6145036" "6141715" "6104876" "6061600" "5911084" "5895494" "5805790" "5729767" "5590299" "5530946" "5418914" "5276864" "4999838").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 11:52
S4	804	"I.sup.2" C bus"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/13 11:53
S5	1462	("I.sup.2" C bus" or I2c or "inter-ic") and (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/13 11:54
S8	163	("I.sup.2" C bus" or I2c or "inter-ic") same (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1) same (cpu or processor\$ or "processing unit")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/21 08:25
S9	5379	((cpu or processor\$ or "processing unit") same (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1) same bus\$3) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 16:35
S10	1222	((cpu or processor\$ or "processing unit") same (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1) same bus\$3 same interrupt\$4) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/13 13:51
S13	523	((cpu or processor\$ or "processing unit") near8 (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1)) same bus\$3 same interrupt\$4) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/13 13:57

S14	191	((((cpu or processor\$ or "processing unit") near8 (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1)) same bus\$3 same controller\$1 same interrupt\$4) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 15:13
S15	309	((((cpu or processor\$ or "processing unit") near8 (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1))) and (("710"/305).ccls. or (710/106).ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 18:22
S19	22	busfree	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/13 18:35
S21	146	("bus free" near8 time\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/14 17:18
S22	4	("""I.sup.2"" C bus" or I2c or "inter-ic") near7 fifo\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/14 15:15
S23	45	("bus free" or busfree) near8 arbit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 10:36
S25	10	("bus free" or busfree) near8 count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 11:37
S26	1	("4,560,985").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 11:52
S29	1	("20040230878").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 16:05
S30	8	(byte near3 (timer or counter)) same processor\$1 same fail\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 16:36

S32	10774	(((cpu or processor\$ or "processing unit") near8 (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1))) same (read\$3 and writ\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 18:23
S34	905	(((cpu or processor\$ or "processing unit") near8 (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1))) near8 (read\$3 and writ\$4) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 18:25
S35	911	((cpu or processor\$ or "processing unit") near8 ((buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1) near8 (read\$3 and writ\$4))) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 18:27
S36	24	((cpu or processor\$ or "processing unit") same "read queue" same "write queue") and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 18:33
S37	19	((cpu or processor\$ or "processing unit") same "read fifo" same "write fifo") and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/15 18:33
S38	17	("I.sup.2" C bus" or I2c or "inter-ic") same (buffer\$1 or fifo\$1) same (cpu or processor\$ or "processing unit") same byte\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 10:02
S39	131	("I.sup.2" C bus" or I2c or "inter-ic") same (buffer\$1 or fifo\$1) same (cpu or processor\$ or "processing unit")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 12:57
S41	51	(smbus or "system management bus") same (buffer\$1 or fifo\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 11:54
S42	246	("I.sup.2" C bus" or I2c or "inter-ic") same (buffer\$1 or fifo\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 15:12
S44	97	("I.sup.2" C bus" or I2c or "inter-ic") same (buffer\$1 or fifo\$1) same controller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 15:20

S45	44	("I.sup.2" C bus" or I2c or "inter-ic") same fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 17:23
S47	14	("I.sup.2" C bus" or I2c or "inter-ic") same retr\$5 same error\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 17:34
S53	202	retr\$5 same error\$1 same (buffer\$1 or queue\$1) same (send\$3 near5 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 19:15
S54	46	S53 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 17:58
S55	38	retr\$5 same error\$1 same (cache) same (send\$3 near5 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:27
S58	146	(retry or retries) same error\$1 same (cache\$1 or queue\$1 or buffer\$1) same (send\$3 near5 (message\$1 or packet\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:36
S59	14	(retry or retries) same error\$1 same (cache\$1 or queue\$1 or buffer\$1) same (send\$3 near5 (message\$1 or packet\$1)) same (cpu or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:41
S60	13	(retry or retries) same fail\$3 same (cache\$1 or queue\$1 or buffer\$1) same (send\$3 near5 (message\$1 or packet\$1)) same (cpu or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:49
S61	5	((retry or retries) same fail\$3 same (send\$3 near5 (message\$1 or packet\$1)) same (cpu or processor\$1)) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:50
S62	15	((retry or retries) same error\$1 same (send\$3 near5 (message\$1 or packet\$1)) same (cpu or processor\$1)) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:50

S63	10	((retry or retries) same error\$1 same (send\$3 near5 (message\$1 or packet\$1)) same (cpu or processor\$1)) and ("711"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 18:54
S64	60	((retry or retries) same error\$1 same (send\$3 near5 (message\$1 or packet\$1)) same (cpu or processor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 19:05
S66	54	(retry or retries) near8 error\$1 near8 (send\$3 near5 (message\$1 or packet\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 19:06
S67	1	("6072781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/16 19:09
S68	27	checksum\$4 near8 (processor\$1 or cpu or "processing unit") near8 interrupt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 17:02
S69	5	checksum\$4 near8 without near8 interrupt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 10:55
S70	94	checksum\$4 near8 hardware near8 calcul\$9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 12:07
S71	41	(checksum\$4 near8 hardware near8 calcul\$9) same (processor\$1 or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 12:08
S72	24	("I.sup.2" C bus" or I2c or "inter-ic") near8 (buffer\$1 or fifo\$1 or queue\$1 or transceiver\$1) same (cpu or processor\$ or "processing unit")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 11:56
S74	30	((buffer\$1 or queue\$1 or FIFO) near8 "high water mark") same (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 11:57

S75	108	(checksum\$4 near8 (processor\$1 or cpu or "processing unit")) same interrupt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 17:40
S76	11	(checksum\$4 near8 (bus)) same interrupt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 18:15
S77	41	(checksum\$4 near8 (generat\$4)) same interrupt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 18:15
S78	1	("6061822").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 18:29
S79	1	("5935268").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 18:31
S80	1	("5928372").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 19:52
S81	1	("6072781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 19:13
S83	115	"retry counter" same (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 19:15
S84	1	("5230044").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/20 19:54